

Gynecology

"LOOP" Surgery Products

Medicaments

Pessary Products

Biopsy Forceps


Specula

Uterine Dilators

Cervical Dilators

Uterine Sounds

Instruments





CLOOP" Surgery Products

Designed with the alternate site in mind!

Model 2001e Electrosurgical Unit

Full-Featured Electrosurgery for the Office

- 120 watts Maximum Power Output Perform office-based procedures with confidence.
- Five Distinct Output Modes Cut, Coagulation, Blend, Fulguration and Bipolar outputs provide unsurpassed versatility.
- Isolated Output Transformers and Patient Circuit Monitor Ensure safety to both patient and staff.
- Flush Membrane Front Panel No knobs or switches to adjust, easy to clean and disinfect.
- Digital Diagnostic Error Codes Readily identify and protect against potential fault conditions.
- Hand Control with Optional Foot Control Fully adaptable to almost any procedure or electrode.
- Meets the Following Safety and Performance Standards: CSA C22.2 NO 601.1-M90, UL 2601-1-UL, IEC 60601-2-2 (1998-90)



9006501 Model 2001e Electrosurgical Unit (110/240VAC)
(Includes: hospital-grade power cords (110V and 220V)disposable hand-control pencil, disposable patient pad, clamp cord assembly and manual)

SPECIFICATIONS:

Maximum Power Outputs by Operating Mode: Pure Cut = 120 Watts @ 500Ω , $357\text{kHz} \pm 50 \text{ kHz}$ Blend = 90 Watts @ 800Ω , $357\text{kHz} \pm 50 \text{ kHz}$ Coagulation = 80 watts @ 1000Ω , $475\text{kHz} \pm 19 \text{ kHz}$ Fulguration = 40 watts @ 1000Ω , $410\text{kHz} \pm 50 \text{ kHz}$ Bipolar = 30 watts @ 200Ω , $535\text{kHz} \pm 29 \text{ kHz}$

AC Input Current: 110/240VAC

Mains line frequency range (nominal): 50-60Hz

Power consumption: 540VA

Dimensions:

Size – 10 1/4"(W) x 12"(L) x 6" (H) (26cm x 30.5cm x 15.2cm) Weight – 14 lbs (6.5kg) Two (2) year warranty



"LOOP" Surgery Products



Evacuator/Air Filtration System

The Premier Evacuator/Air Filtration System with its distinctly quiet operation (60 decibels at 1.0 meter) is suitable for electrosurgical or laser procedures. 'Resposable' filter pack conveniently and safely collects plume (smoke and particulate matter to 0.2 microns at 99.999% efficacy¹) and neutralizes odors. Each filter pack comes with 3/8" tubing to attach to specula fitted with a smokeremoval tube.

1. Filter rating is for 15 procedures or 45 minutes of accumulated filtration time, whichever comes first.

9006300 Premier Evacuator (110V)

	Includes One (1) Filter
9006298	Premier Evacuator (220V)
9006290	Replacement Filter Packs (5 ea/case)
9006292	Reusable Smoke Tube (for accessible sites)
9006296	Evacuator Footswitch (not shown)

SPECIFICATIONS:

AC Input Current:

9006300 - 110/120VAC, 60Hz, 15 amps 9006298 - 220/240VAC, 50Hz, 8 amps

Dimensions:

Size - 10"(W) x 10"(L) x 14"(H) (25.4cm x 25.4cm x 35.6cm) Weight - 20lbs. (9.1kg)

Two (2) year warranty



"LOOP" Surgery Products

ESU/Evacuator Procedure Cart

- · Constructed of durable, non-conductive ABS plastic
- 300 lb. (135kg) capacity
- Three large, spacious shelves
- Transport handle and quiet, directional casters included
- Snap-together assembly (no tools required)

9006560 Premier ESU/Evacuator Procedure Cart

Dimensions:


Shelf Size - 16" x 24"

(40.64cm x 60.96cm) Height - 34 ⁷/8" (88.6cm) Weight - 32 lbs. (14.4kg) Capacity - 300 lbs. (135kg)

> Optional procedure cart pulls the whole package together!







Activates generator's cut and coagulation output modes. Fitted with a 10' cord, accepts standard shaft size (3/32") electrodes. (Compatible with other manufacturers' generators.)

9006505 Hand-Control Pencil, Disposable, 5/pack9006515 Hand-Control Pencil, Reusable, one each

Foot-Control Pencil



For use with Foot Controller (9006525). Ten foot cord comes with standard banana plug (Bovie plug adapter needed for use with 2001e). Accepts standard shaft size (3/32") electrodes. (Also can be used with other manufacturers' generators.)

9006530 Foot-Control Pencil, Disposable, 5/pack9006585 Bovie Plug Adapter, one each

Dual-Foot Controller



Dual operating mode conveniently selects either cut or coagulation operating modes. Standard color-coded pedals and fluid resistant cover (not shown) included. Also for use with bipolar accessories (see page 28).

9006525 Dual-Foot Controller
(For use with the Premier 2001e generator only.)

"LOOP" Surgery Products

Disposable Dispersive Patient Pads



9006540 Dispersive Pad², Single Cell, Disposable, 5/pack



9006550 Dispersive Pad³, Dual Cell, Disposable, 5/pack For use with pad monitoring systems.

9006535 Replacement Clamp Cord Assembly (not shown)
For connecting uncorded patient plates to the
Premier 2001e generator.

PolyPlate™

Reusable Dispersive Patient Plate



Innovative - Utilizes advanced material technology.

Safe - Eliminates the risk of skin rashes, allergic reactions and possible lesions that can occur with the use of adhesive pads or pads requiring gels.

Economical - Saves costs, easy to clean and reduces medical waste.


General usage guidelines are printed on the non-patient contact side of the plate. Package insert provides detailed product instructions.

For use with all electrosurgery generators without a dispersive plate monitoring system. Compatible with Premier and non-Premier generators.

9006545 Reusable PolyPlate™, Single Cell

^{2.} All Premier dispersive pads are uncorded.

^{3.} Not for use with 2001e.



Straight linear cutting wire produces precise excision. Linearity of wire 100% guaranteed.



Stabilizer prongs affix to cervix to secure tissue during procedure.

Rotational hub controls movement of cutting wire. Anchor side conveniently tracks wire movement.

The TruTurn[™] spindle provides effortless control of instrument.

Standard size shaft (3/32") compatible with most electrosurgical generators.

"LOOP" Surgery Products



Packaged five per box. Each TruCone is packaged with instructional pathological guidelines.

	Diameter	Depth
9006110	18mm	12mm
9006115	18mm	15mm
9006125	24mm	12mm
9006130	24mm	15mm
9006140	30mm	12mm
9006145	30mm	15mm
9006165	30mm	9mm
9006170*	12mm	21mm


9006175 Assorted Pack (3) 1 each: 18mm x 12mm, 18mm x 15mm, 24mm x 15mm

TruCone™

Rotational Cone Biopsy Electrode

- Easy to Use No awkward hand movements required.
- Physician Assured Stabilizing prongs increase procedure confidence.
- Improved Diagnosis Produces a clean, smooth cut with minimum thermal artifact. Sample conveniently secured.
- Patient Friendly, Safe Insulated components ensure safety to the patient, physician and staff.
- Eight (8) Different Sizes The largest number of sizes available.

9006125



Obtain Precise Cervical Cone Biopsies – Effortlessly! *It is as easy as...*



With the electrosurgical generator in the active mode, insert the appropriately sized TruCone™ into the endocervical canal. (Use of a footcontrolled generator recommended.)



After the stabilizing prongs have secured the cervix, gently rotate the shaft spindle for one complete rotation. Hub serves as a rotation guide.




Deactivate generator and remove TruCone instrument containing secured sample from vaginal cavity.





All Premier Electrodes are made with tungsten wire and fitted with a standard 3/32" diameter, 5" long shaft. Compatible with most electrosurgical generators on the market.





"LOOP" Surgery Instruments

Designed specifically for use during LOOP and other electrosurgical procedures⁴, the non-conductive coating on these instruments ensures the safety of both patient and physician.

- Scratch Resistant, Non-conductive Coating
- Fully Autoclavable

Use and Care Instructions

- Can be autoclaved or cold soaked
- · Do not use with ultrasonic cleaner
- Do not use if coating is compromised
- Do not use with dry heat sterilization



Coated Lateral Vaginal Retractors




9086186 Lateral Retractor with offset blades


Fully opened, this retractor provides an additional 1" of retraction.

Overall Length - 10''Blade Size - $1'' \times 2^{1/2}''$ Fully opened dilation - $3^{1/2}''$

9086182 Lateral Retractor (not shown)

Overall Length - 10''Blade Size - $1'' \times 2^{1/2}''$ Fully opened dilation - $2^{1/2}''$





- 4. These instruments are not recommended for use with surgical lasers.
- 5. Requires use of an air filtration system.



Medicaments

Monsel's Solution



9045055 Box of twelve (12) 8ml bottles with applicators

Lugol's Solution





Popular in LOOP, Biopsy and Colposcopic Procedures

Thickened formulation "adheres" to the surgical site for effective control of post-op bleeding.



Pessary Products

Pessary Products

For non-surgical management of uterine prolapse, cystocele and rectocele

- 100% silicone
- Easy to insert, remove and clean
- Single-patient use

Ring Pessary - This very common pessary most often is used for first- to second-degree prolapse. Ring Pessaries, available in nine sizes, are configured without and with support. Ring Pessaries with support also can be used on an accompanying cystocele. Application is accomplished easily simply by folding the ring before insertion.

Cube Pessary - Designed for second- or third-degree prolapse or procidentia, as well as a cystocele and rectocele. Cube Pessaries feature drainage holes. Additionally, a silicone tie affixed to each cube aids in removal. Cube Pessaries are available in 10 sizes. Sizes range from 2.5cm (1") O.D. to 7.5cm (3") O.D.





		_	_
	Diameter	Support	Support
Size	(inches)	ltem #	ltem #
#1	2.00	1040111	1040101
#2	2.25	1040112	1040102
#3	2.50	1040113	1040103
#4	2.75	1040114	1040104
#5	3.00	1040115	1040105
#6	3.25	1040116	1040106
#7	3.50	1040117	1040107
#8	3.75	1040118	1040108
#9	4.00	1040119	1040109

Ring w/o

Ring w/



	Width	w/ Holes	
Size	(cm)	ltem#	
#0	2.5	1040400	
#1	2.9	1040401	
#2	3.2	1040402	
#3	3.7	1040403	
#4	4.1	1040404	
#5	4.5	1040405	
#6	5.5	1040406	
#7	6.5	1040407	
#8	7.0	1040408	
#9	7.5	1040409	

Cube




Pessary Products

Gellhorn Pessary - Used for a second- to third-degree prolapse or procidentia. With drainage holes in the base, Gellhorn Pessaries are available in nine sizes. The knob of the gellhorn easily folds over for insertion and when properly inserted, rests on the posterior vaginal wall to provide support.

Donut Pessary - For use with third-degree prolapse or procidentia as well as cystocele and rectocele. Donut Pessaries, while having a substantial amount of material between the inside and outside diameter, are made of soft material that is compressed easily to aid in insertion. The donut is available in seven different sizes.



	Diameter	Gellhorn	
Size	(inches)	ltem #	
#0	1.50	1040200	
#1	1.75	1040201	
#2	2.00	1040202	
#3	2.25	1040203	
#4	2.50	1040204	
#5	2.75	1040205	
#6	3.00	1040206	
#7	3.25	1040207	
#8	3.50	1040208	





1040600 **Pessary Fitting Set** - Set of six different rings (#2 through #7) used in pessary size selection for individual patients. The Fitting Set comes with a cross-reference chart that translates ring size into corresponding size of other pessary styles.



Needle Adapters

Reusable Stainless Steel Needle Adapters

These needle adapters allow for economical extension of an ordinary hypodermic syringe. The now "extended" needle easily reaches the paracervical and uterosacral areas to provide improved control for local infiltration of anesthetic agents. Slightly malleable for additional convenience. Four different lengths. Luer lock connectors.





Biopsy Forceps

German Biopsy Punch Forceps

German Precision Instruments

- · Exact Bite for Clean Tissue Extraction
- Firm Hold of Biopsy Sample for Confident Procedures
- · Spring Grip for Optimal Handling
- Swivel Lock to Ensure Sample Retention
- Popular 10" Length
- Outstanding Value, One-Year Unconditional Warranty


Made in Germany from high-grade surgical stainless steel, Premier®'s Biopsy Punch Forceps offer optimal performance and ultimate quality. Through superior craftsmanship, these four classic shapes afford the highest level of clinical care.




9086420 Tischler

This clinical standard features a unique bite mechanism which grasps tissue and holds it securely during excision.

Bite: 7mm x 3mm (





A mini or Baby Tischler provides a smaller sample. Its rounded bite minimizes patient discomfort and reduces the occurrence of bleeding.

Bite: 4.2mm x 2.3mm



9086410 Burke

This small-toothed forceps allows for sample retrieval with minimal tissue penetration.

Bite: 5mm x 3mm





9086440 Kevorkian

This classic pattern offers the largest available jaw and the serrated teeth afford strong grasping ability.

Bite: 9mm x 3mm









Graves Specula Upper Blade



Pederson Specula Upper Blade

Specula





Specula





Weisman-Graves Specula Upper Blade




Diameters,

French Scale			
0	9	mm 3.0	inch .118
\circ	10	3.33	.131
	11	3.67	.144
	12	4.0	.158
	13	4.33	.170
	14	4.67	.184
	15	5.0	.197
	16	5.33	.210
	17	5.67	.223
	18	6.0	.236
	19	6.33	.249
	20	6.67	.263
	21	7.0	.275
	23	7.67	.302
	25	8.33	.328
	27	9.0	.354
	29	9.67	.380
	31	10.33	.407
	33	11.0	.433

Oterine Dilators

Hank French scale (not actual size)



.459

inch

.485

.512


.538


.564



Diameters, Millimeters

Uterine Dilators





10



PTFE 1.5mm/2.1mm • 1030582



Each Premier® Os dilator is manufactured to exacting standards. Made of PTFE (Polytetrafluoroethylene), which is malleable, 'warm' and self-lubricating, these instruments deliver excellent patient comfort. Usage and care instructions are provided below.

Os Locator is distinguished with a single ring and a yellow band around the handle. It is particularly useful in locating the external Os in patients presenting cervical stenosis.

Canal Finder has a double ring and a blue band around the handle. The slightly longer tip insinuates the cervical canal, while producing dilation.


Fundus Dilator is fitted with a triple ring and a green band on its handle. Having the longest tip of the set, this particular instrument can be passed through the entire length of the cervical canal and will open the internal Os.

The following guidelines ensure proper care and performance of the Os Dilators:

- Do not bend the instrument more than 90° from its longitudinal axis.
- Inspect instrument for cracks or breakage prior to EACH use.
- · Clean and sterilize before each use.
- Os Dilators can be cleaned and sterilized by any approved method. (Dry heat sterilization not recommended.)

Cervical Dilators

OS Dilators Reusable (not actual size) Set of Three • 1030585






Uterine Sounds



Kevorkian-Younge








Malleable • 1030330 (not shown) **Rigid** • 1030332 Malleable with Basket • 1030331 (not shown) Rigid with Basket • 1030333 Duncan (not actual size) 1030343 PREMIER USA AQ DUNCAN



Endocervical Curettes



Atraumatic Jaws




Instruments



Emmett Tenaculum Hook #1 • 1030603 (9", Half Curve)



(not actual size) Instruments





Stop Cock




Cannula Instruments

Jarcho Self-Retaining Cannula • 1030840








These instruments are particularly useful in the administration of radiographic dies and other solutions into the uterine cavity.

Flexible malleable tips prevent the need for sounding or dilation.




Replacement Parts for Cannula Instruments

1032100	Rubber Acorn (3/pack)
1032219	PTFE Tip, Short (3/pack)
1032220	PTFE Tip (3/pack)
1032221	PTFE Acorn
1032222	Collar/Screw (with Rubber Gasket)
1032223	PTFE Acorn for Corson
1032224	Collar Screw for Corson



Instruments



IUD Removal Hook, Universal • 1030656 (not actual size)

Sheet Holders - OB/GYN

